



## **International Conference on Gears 2019**

### **3<sup>rd</sup> International Conference on High Performance Plastic Gears 2019**

### **3<sup>rd</sup> International Conference on Gear Production 2019**

Garching/Munich, Germany September 18 – 20, 2019

Source: Getriebebau NORD GmbH & Co. KG

<https://doi.org/10.51202/9783181023556-1>

Generiert durch IP '52.15.34.178', am 02.05.2024, 11:19:45.

Das Erstellen und Weitergeben von Kopien dieses PDFs ist nicht zulässig.

**VDI-BERICHTE**

Herausgeber:

VDI Wissensforum GmbH



**Bibliographische Information der Deutschen Nationalbibliothek**

Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliographie; detaillierte bibliographische Daten sind im Internet unter [www.dnb.de](http://www.dnb.de) abrufbar.

**Bibliographic information published by the Deutsche Nationalbibliothek (German National Library)**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliographie (German National Bibliography); detailed bibliographic data is available via Internet at [www.dnb.de](http://www.dnb.de).

**© VDI Verlag GmbH · Düsseldorf 2019**

Alle Rechte vorbehalten, auch das des Nachdruckes, der Wiedergabe (Photokopie, Mikrokopie), der Speicherung in Datenverarbeitungsanlagen und der Übersetzung, auszugsweise oder vollständig.

Der VDI-Bericht, der die Vorträge der Tagung enthält, erscheint als nichtredigierter Manuskriptdruck.

Die einzelnen Beiträge geben die auf persönlichen Erkenntnissen beruhenden Ansichten und Erfahrungen der jeweiligen Vortragenden bzw. Autoren wieder. Printed in Germany.

ISSN 0083-5560

ISBN 978-3-18-092355-0

<https://doi.org/10.51202/9783181023556-1>

Generiert durch IP '52.15.34.178', am 02.05.2024, 11:19:45.

Das Erstellen und Weitergeben von Kopien dieses PDFs ist nicht zulässig.

# Content

<b>Foreword</b> . . . . .	<b>1</b>
K. Stahl, Technische Universität München (TUM), Garching	

## International Conference on Gears 2019

### ► Flank strength

---

<b>Influence of gear surface roughness on pitting and micropitting life</b> . . . . .	<b>3</b>
E. Bergstedt, Prof. U. Olofsson, KTH, Stockholm, Sweden; J. Lin, Beijing University of Technology, Beijing, China; P. Lindholm, ABB Corporate Research, Västerås, Sweden	
<b>Influence of stressed volume of tooth flank on the surface durability</b> . . . . .	<b>15</b>
A. Kubo, Research Institute for Applied Sciences, Ooicho, Kyoto, Japan	
<b>Transfer of the tooth flank stress into an analogy test concept to provoke the damage pattern tooth flank fracture (TFF)</b> . . . . .	<b>25</b>
C. Brecher, C. Löpenhaus, F. Goergen M.Sc., WZL, Aachen	
<b>Effect of surface characterization induced by fine shot peening on scuffing of steel roller</b> . . . .	<b>37</b>
Y. Omiya, M. Fujii, H. Sekishita, Okayama University, Okayama, Japan; K. Ishimoto, A. Ueda, IHI Corporation, Yokohama, Japan	

### ► NVH

---

<b>Bionic tooth root: fatigue testing and potential on gear units</b> . . . . .	<b>47</b>
F. Lubos, Z. Roth, VDI, J. M. Voith SE & Co. KG   VTA, Heidenheim an der Brenz	
<b>Planetary gears: modes, noise and modifications application and validation of simulation and experiment</b> . . . . .	<b>57</b>
M. Heider, B. Pinnekamp, A. Beinstingel, Renk AG, Augsburg	
<b>Noise characteristics induced by micropitting formed on particle-based parkerized gears</b> . . . .	<b>69</b>
R. Saito, K. Matsuo, Hardware System Development Department, JATCO Ltd, Kanagawa, Japan; Y. Suzuki, Engineering Management Department, JATCO Ltd, Shizuoka, Japan	
<b>Experimental study of railway gearbox whining noise</b> . . . . .	<b>79</b>
K. Landet, J. Perret-Liaudet, E. Rigaud, Laboratoire de Tribologie et Dynamique des Systèmes (LTDS), UMR5513 Université de Lyon, Ecole Centrale de Lyon, Enise, Entpe, Ecully, France; J. Y. Guerder, M. Fraces, Alstom, Le Creusot, France	

## ► Efficiency

---

- Windage power loss reductions in high-speed gear pairs . . . . . 91**  
M. Ruzek, F. Ville, P. Velez, Université de Lyon – INSA Lyon - LaMCoS UMR5259, France;  
Y. Marchesse, ECAM Lyon, INSA Lyon, LabECAM, Université de Lyon, France
- Power loss analysis of different high-power density gearbox typologies: CFD analysis and experimental measurements on a cycloidal gear set. . . . . 101**  
F. Concli, L. Maccioni, Free University of Bolzano/Bozen, Faculty of Science and Technology, Bolzano, Italy;  
C. Gorla, Politecnico di Milano, Department of Mechanical Engineering, Milano, Italy
- Scaling of planetary gear stages according to gear loss similarity. . . . . 115**  
F. Siglmüller, U. Weinberger, J. Götz, M. Sedlmair, T. Lohner, K. Stahl, Gear Research Centre (FZG), Technical University of Munich (TUM), Garching b. München
- Analysis on the efficiency of HypoGear. . . . . 127**  
F. Eigner, R. Michel, M. Berger, Technische Universität Chemnitz

## ► Tooth root strength

---

- Optimized tooth root strength by controlled shot peening. . . . . 137**  
J. Hoffmeister, J. Hermes, SEW-Eurodrive, Bruchsal
- Optimisation of spur gear tooth fillet for maximum bending strength using Bezier curves . . . 149**  
G. Vasileiou, N. Rogkas, V. Spitas, National Technical University, Athens, Greece;  
P. Zalimidis, School of Pedagogical Education, Athens, Greece
- Simulation of the tooth root strength under consideration of material quality, finishing process and size effects . . . . . 161**  
J.-A. Meis, F. Teklote, M. Borowski, Flender GmbH, Bocholt
- Flank load carrying capacity of hard-soft gear pairings. . . . . 173**  
B. J. Siewerin, T. Tobie, K. Stahl, Gear Research Centre (FZG), Technical University of Munich;  
A. Dobler, Former Member of Gear Research Centre (FZG), Technical University of Munich (Now: ZF Friedrichshafen AG, Passau)

## ► Loaded tooth contact analysis

---

**Loaded tooth contact analysis of bevel gears with complex gear body . . . . . 185**

F. Mieth, B. Schlecht, Institute of Machine Elements and Machine Design, Dresden

**FEM analysis of the load distribution over the face width of helical gear pairs considering deviations, misalignments and deformations . . . . . 193**

A. Mihailidis, A. Psarros, Lab. of Machine Elements and Machine Design, Aristotle University of Thessaloniki, Greece

**Improved tooth contact analysis by using virtual gear twins – How helpful is AI for finding best gear design? . . . . . 203**

B. Schlecht, T. Schulze, DriveConcepts GmbH, Dresden

**Co-simulation of the tooth contact of bevel gears within a multibody simulation . . . . . 217**

W. Wagner, S. Schumann, B. Schlecht, Institute of Machine Elements and Machine Design, Dresden University of Technology

## ► Condition monitoring

---

**Condition monitoring of gearboxes using magneto-resistive sensors . . . . . 229**

R. Slatter, Sensitec GmbH, Lahnau

**Deep online oil analysis of dielectric parameters for life time enhancement of industrial gearboxes – Identification of critical operation conditions for reduction of failure rates . . . . 245**

M. R. Mauntz, J. Peuser, cmc Instruments GmbH, Eschborn

**Comparing data sources for condition monitoring suitability . . . . . 257**

M. Fromberger, S. Sendlbeck, M. Rothmund, J. Götz, M. Otto, K. Stahl, Gear Research Centre (FZG), Technical University of Munich, Garching

**Monitoring concept study for aerospace power gear box drive train . . . . . 269**

S. Nowoisky, Rolls-Royce Deutschland Ltd & Co KG, Dahlewitz;

M. Grzeszkowski, M.Sc. Noushin Mokhtari,

C. Gühmann, Technische Universität Berlin, Berlin;

J. G. Pelham, Cranfield University, Cranfield, United Kingdom

## ► Strength

---

**Investigations into non-metallic inclusion crack area characteristics relevant for tooth root fracture damages of case carburised and shot-peened high strength gears of different sizes made of high-quality steels. . . . . 287**

D. Fuchs, T. Tobie, K. Stahl, Gear Research Centre (FZG), Technical University of Munich;  
S. Schurer, Former Member of Gear Research Centre (FZG), Technical University of Munich  
(Now: MAN Truck & Bus AG, Munich)

**Investigations on the pitting load capacity of internal spur and helical gears. . . . . 301**

M. Geitner, T. Tobie, K. Stahl, Gear Research Centre (FZG), Technical University of Munich,  
Garching;  
B. Zornek, Former member of FZG, now Magna PT B.V. & Co. KG

**Wear prediction for double helical gears grinded by forming method. . . . . 315**

H. Wang, X. Wen, State Key Laboratory of Advanced Design and Manufacturing for Vehicle  
Body, Hunan University, Changsha, PR China;  
C. Zhou, State Key Laboratory of Advanced Design and Manufacturing for Vehicle  
Body, Hunan University, Changsha, PR China,  
State Key Laboratory of High Performance Complex Manufacturing, Central South University,  
Changsha, PR China;  
Z. Liu, Zhengzhou Research Institute of Mechanical Engineering Co., Ltd., Zhengzhou,  
PR China

## ► Transmission error

---

**Investigation of transient response motion of differential planetary gear train during reverse rotation and starting by using high-speed camera monitoring. . . . . 331**

T. Fukuda, M. Nakagawa, T. Hirogaki, E. Aoyama, Doshisha University, Kyoto, Japan

**Analysis of dynamic transmission error for nutation drive with double circular arc gears under assembly errors and different loads . . . . . 343**

Y. Cai, L. Yao, J. Ding, S. Ouyang, J. Zhang, School of Mechanical Engineering and Automation,  
Fuzhou University, Fuzhou, China

**Experimental and numerical investigation of helical gear transmission error under gear misalignments . . . . . 355**

D. Park, F. Santini, A. Rezayat, T. Tamarozzi, J. Pavel,  
Siemens Industry Software, Leuven, Belgium



## ► **Bevel and hypoid design and manufacturing**

---

**Optimization of hypoid gear macro/micro geometries for high efficiency drives, taking into consideration NVH and strength . . . . .** 367  
K. Takaki, M. Sugimoto, Nissan Motor Co., Ltd., Japan

**Design and CnC manufacturing of face milled beveloid gears . . . . .** 379  
C. Gosselin, Involute Simulation Softwares Inc., Canada;  
E. Fritz, L. Seiler, Product Development, ESA Eppinger GmbH, Denkendorf

**Analytical design method for beveloid gears with a small shaft angle and offset . . . . .** 391  
D. Marino, H. Binz, M. Bachmann, University of Stuttgart, Stuttgart

## ► **Geometry, quality**

---

**Optimization of asymmetric tooth root generated with protuberance hob . . . . .** 403  
A. L. Kapelevich, Y. V. Shekhtman, AKGears, LLC, Shoreview, Minnesota, USA

**DIN Q6 meets DIN Q10 – Need for modern internal gear production . . . . .** 415  
T. Kleiber, Schaeffler Technologies AG & Co. KG, Herzogenaurach

**Prediction of transmission accuracy lifetime of RV gearbox . . . . .** 425  
C. Liu, State Key Laboratory of Mechanical Transmission, Chongqing University, Chongqing, China,  
Department of Mechanical and Aerospace Engineering, Politecnico di Torino, Torino, Italy;  
W. Shi, State Key Laboratory of Mechanical Transmission, Chongqing University, Chongqing, China;  
F. Maria Curà, A. Mura, Department of Mechanical and Aerospace Engineering, Politecnico di Torino, Torino, Italy

**Parametric Study of a 3D trochoidal reducer model with involute profile . . . . .** 437  
T. Pinel, Université de Lyon, CNRS, INSA-Lyon, France, Moving Magnet Technologies, Besançon, France;  
J. Bruyère, P.Velex, Université de Lyon, CNRS, INSA-Lyon, France;  
L. Billet, Moving Magnet Technologies, Besançon, France

## ► Dynamic

---

- Investigation of dynamic modeling and vibration transmission characteristics of helicopter main gearbox . . . . .** 449  
H. Xu, D. Qin, C. Liu, Y. Yi, H. Jia, State Key Laboratory of Mechanical Transmission, Chongqing University, Chongqing, China
- A study of dynamic behavior of tractor pto driveline to analyze a rattle noise . . . . .** 461  
J. Ahn, C. H. Choi, J. H. Yu, LS Mtron, South Korea;  
S. C. Kim, Korea Institute of Machinery & Materials, South Korea
- Dynamic models for planetary gearboxes SHM . . . . .** 471  
F. Concli, Free University of Bolzano/Bozen, Faculty of Science and Technology, Bolzano, Italy;  
C. Gorla, Politecnico di Milano, Department of Mechanical Engineering, Milano, Italy
- Dynamic simulation for double input compound power-split mechanism of in-wheel motor driven EVs . . . . .** 481  
X. Yang, N. Yue, Q. Yang, State Key Laboratory of Mechanical Transmission, Chongqing University, Chongqing, China,  
College of Mechanical Engineering, Chongqing University, Chongqing China;  
L. Wang, Y. Shao, State Key Laboratory of Mechanical Transmission, Chongqing University, Chongqing, China;  
H. Xiong, School of Civil Engineering, Chongqing University, Chongqing, China,  
Key Laboratory of New Technology for Construction of Cities in Mountain Area, Chongqing University, Chongqing, China

## ► Bevel and hypoid endurance

---

- Design and rating by means of loaded TCA of straight bevel differential gears . . . . .** 493  
J. Thomas, ZG Hypoid GmbH, Aschheim;  
C. Gosselin, P. Eng., Ph.D., Involute Simulation Softwares Inc., Canada
- Investigation of meshing phenomenon of hypoid gears with different offsets via high response infrared video thermography . . . . .** 505  
K. Mukaiyama, Susumu ARAO, Shota Matsui, Japan;  
M. Nakagawa, T. Hirogaki, E. Aoyama, Doshisha University, Kyoto, Japan

<b>New calculation method of the micropitting load carrying capacity of bevel and hypoid gears</b> . . . . .	517
J. Pellkofer, M. Hein, K. Stahl, FZG – Gear Research Centre, Technical University of Munich; T. Reimann, AGCO GmbH, Marktoberdorf; M. Hombauer, BMW Group, Munich	
<b>Transient 3D TEHL simulation of spiral bevel gears under mixed friction conditions</b> . . . . .	529
R. Beilicke, Tribo Technologies GmbH, Magdeburg; L. Bobach, D. Bartel, Otto von Guericke University, Magdeburg	

► **Lubrication, EHL**

---

<b>Tribo-dynamics model of a spur gear pair with gyroscopic effect and flexible shaft</b> . . . . .	541
B. Hu, M. Zheng, C. Zhou, State Key Laboratory of Advanced Design and Manufacturing for Vehicle Body, Hunan University, Changsha, P. R. China	
<b>Calculation of mixed friction conditions in large-scale rolling-sliding contacts for different surface structures</b> . . . . .	555
D. Mevissen, C. Löpenhaus, T. Bergs, Werkzeugmaschinenlabor (WZL) der RWTH Aachen, Aachen	
<b>White etching crack bearing failure: identification of high risk lubricant compounds using artificial neural networks</b> . . . . .	569
B. Azzam, F. Harzendorf, R. Schelenz, G. Jacobs, Center for Wind Power Drives, Aachen; W. Holweger, Schaeffler Technologies AG & Co. KG, Herzogenaurach	

► **Worm and crossed axis helical gears**

---

<b>Prediction of heat generation of crossed axis gearbox</b> . . . . .	583
A. Miltenović, M. Banić, V. Miltenović, University of Niš, Niš, Serbia	
<b>A method to determine local wear of worm gears with highly resolved circumferential backlash curves</b> . . . . .	595
K. Daubach, Manuel Oehler, Bernd Sauer, Lehrstuhl für Maschinenelemente und Getriebetechnik, Technische Universität Kaiserslautern	
<b>Curvature interference characteristic of conical worm gear</b> . . . . .	607
Y. Zhao, Q. Meng, Z. Yang, Northeastern University, Shenyang China	

## ► **Bevel and hypoid transmission error**

---

**A methodology for measurement of loaded transmission error of hypoid gear pair with misalignments** . . . . . 619

H. Blettery, D. Talbot, A. Kahraman, Gear and Power Transmission Research Laboratory, Department of Mechanical and Aerospace Engineering, The Ohio State University, Columbus, USA;  
H. Xu, Global Hardware Components and Subsystems, General Motors Company, Milford, USA

**Dynamic model of bevel gearing with friction damper** . . . . . 635

E. V. Kozharinov, Central Institute of Aviation Motors, Moscow, Russia;  
J. M. Temis, Central Institute of Aviation Motors, Bauman Moscow State Technical University, Moscow, Russia

**An easy-to-use and fast computational model for the prediction of the influence of manufacturing errors on gear transmission error.** . . . . . 645

A. D. Rauch, C. Wirth, MAHLE ZG Transmissions, Eching

## ► **Lubrication, flank strength**

---

**Determination of S-N curves for pitting based on local damage analysis** . . . . . 657

F. Müller, S. Schumann, B. Schlecht, Institute of Machine Elements and Machine Design (IMM), Technische Universität Dresden

**Minimizing gear friction with water-containing gear fluids** . . . . . 669

M. Yilmaz, T. Lohner, K. Michaelis, K. Stahl, Gear Research Centre (FZG), Technische Universität München, Garching

**Hydrogen embrittlement of oil lubricated contacts** . . . . . 681

D. Kürten, A. Kailer, Fraunhofer-Institut für Werkstoffmechanik IWM, Freiburg

## ► Calculation/standard

---

**ISO Standard based method for determining a global in-operation dynamic factor KAV in gears subjected to variable velocity and loading conditions . . . . . 689**  
F. Curà, Politecnico di Torino, Torino, Italy

**REXS – Standardized gear unit model . . . . . 701**  
M. Keuthen, FVA GmbH, München

**Automated requirements-driven design synthesis of gearboxes with graph-based design languages using state of the art tools . . . . . 713**  
K. Holder, ZF Friedrichshafen AG, Friedrichshafen;  
C. Salander, Institute of Machine Components (IMA);  
S. Rudolph, Institute of Aircraft Design, University of Stuttgart;  
R. Stetter, Hochschule Ravensburg Weingarten

**Investigation of the potential of using surrogate models in the gear design process . . . . . 727**  
J. Brimmers, M. Willecke, C. Löpenhaus, C. Brecher, Laboratory for Machine Tools (WZL) of RWTH Aachen University

## ► Dynamics on planetary gears

---

**Dynamic modeling and analysis of a star-wheel reducer . . . . . 741**  
J. Zhang, J. Wang, School of Mechanical Engineering and Automation, Fuzhou University, China

**Wolfrom gearboxes for lightweight, human-centered robotics . . . . . 753**  
P. López García, S. Crispel, T. Verstraten, E. Saerens, B. Vanderborght, D. Lefeber, BRUBOTICS - Vrije Universiteit Brussel and Flanders Make, Brussels, Belgium

**Influence of tooth profile modifications on the dynamic behavior of a planetary gear set – Experimental investigation and numerical validation for different amplitudes of tooth profile modifications . . . . . 765**  
J. Neufond, LTDS, Ecole Centrale de Lyon, Ecully, France / Vibratec, Ecully, France;  
E. Rigaud, J. Perret-Liaudet, LTDS, Ecole Centrale de Lyon, France;  
A. Carbonelli, Vibratec, Ecully France

**Influence of tooth profile modification on planetary gear sets dynamic . . . . . 777**  
D. V. Kalinin, Prof. J. Y. Temis, CIAM, Moscow, Russia

## ► Elastic gear deformation

---

**Investigation of the influence of elastic gear body structures on the operational behavior of gears . . . . . 785**

P. Scholzen, C. Löpenhaus, C. Brecher, WZL RWTH Aachen, Aachen;  
D. Billenstein, F. Rieg, CAD University of Bayreuth, Bayreuth;  
G. Hammerl, FVA GmbH, Frankfurt

**Consideration of elastic deformations of gear bodies using a reduction on a fourier series . . . . . 797**

M. Raabe, MESYS AG, Zürich, Switzerland

**A gear load distribution model for planetary gear set with a flexible carrier . . . . . 809**

L. Ryali, D. Talbot, Gear and Power Transmission Research Laboratory, Department of Mechanical and Aerospace Engineering, The Ohio State University, Columbus, USA

**Hybrid models for the study of gear body dynamic deflections – Gear body modes . . . . . 823**

B. Guilbert, P. Velez, LaMCoS – INSA de Lyon, Villeurbanne, France;  
P. Cutuli, Safran Helicopter Engines, Bordes, France

## ► Application

---

**Experimental and theoretical study of load mesh factor for different boundary conditions in wind gearbox planetary stages . . . . . 835**

H. Aurrekoetxea, I. Ruiz de Ocenda, Gamesa Gearbox, Bilbao, Spain

**A study of gear oil performances contributing to wind turbine lifetime extensions . . . . . 845**

S. Yokoyama, Idemitsu Kosan Co., Ltd., Japan

**Optimized electrified drivetrains and duty cycle testing methods related to future autonomous driving vehicle concepts . . . . . 857**

Prof. Dr. R. Wörner, L. Pott, University of Esslingen a.N.;  
M. Lutz, C. Kajinski, H. Scheihing, C. Pasler, dhofer pdc, Stuttgart

**Two-speed transmission based on energy-efficient MRF-coupling elements and power split mechanism . . . . . 867**

C. Hegger, T. Krüger, J. Maas VDI, Technische Universität Berlin

## ► Gear material

---

- Conventional high-strength nodular graphite iron as a substitute for austempered ductile iron (ADI)** . . . . . 877  
J. Lohmiller, J. Hoffmeister, J. Hermes, SEW-EURODRIVE GmbH & Co. KG, Bruchsal
- Japanese standardization for gear steel qualification via evaluation of HV-scattering** . . . . . 893  
A. Kubo, M. Nagae, K. Kawasaki, Kyoto, Japan
- Modelling of high power geared transmissions, introduction of a filling material** . . . . . 903  
C. Chevrel-Fraux, R. Fargère, Naval Group, Naval Group Research, Bouguenais, France;  
J. Bruyère, P. Velez, LaMCoS – INSA de Lyon, Villeurbanne, France
- Gear performance beyond current standards – Implementing increased material fatigue performance in gears** . . . . . 915  
E. Löthman, L. Kamjou, E. Claesson, Ovako AB, Hofors, Sweden

## ► Tooth profile geometry

---

- Tooth contact analysis of non-circular gears with non-involute tooth profiles: Application to horological spur gears** . . . . . 925  
M. Chapron, Montres Breguet SA, L'Orient, Switzerland;  
Q. Theurillat-Bonjour, Montres Breguet SA, L'Orient, Switzerland
- Derivation of tooth stiffness of asymmetric gears for loaded tooth contact analysis** . . . . . 937  
B. Mahr, A. Pogacnik, A. Langheinrich, KISSsoft AG, Bauhar s.p.  
and Horst Scholz GmbH + Co. KG
- Tooth root bending capacity – An analysis of stress and strength** . . . . . 949  
H. Linke, Technische Universität Dresden;  
R. Hess, Flender GmbH, Bocholt
- Experimental verification of improvements in static and fatigue bending capacity of spur gear tooth via tooth root design optimization** . . . . . 959  
N. Yildirim, Gaziantep University, Gaziantep, Turkey;  
M. Yasar, Karabük University, Karabük, Turkey;  
E. Yildirim, Kocaeli University, Kocaeli, Turkey;  
F. Erdogan, Mech Eng, Mert VARDAR,  
B. Karatas, AeroGDT Inc, Ankara, Turkey

## ► Profile modifications

---

- Conjugate tooth profile of circular spline to involute flex gear in strain wave gearing . . . . .** 973  
I. Moriwaki, S. Doi, Asso. D. Iba, Kyoto Institute of Technology, Kyoto, Japan;  
T. Yomenura, K. Haizumi, Nidec-Shimpo Corporation, Kyoto, Japan
- Load sharing model for high contact ratio spur gears with long profile modifications . . . . .** 985  
J. I. Pedrero, M. Pleguezuelos, M. B. Sánchez, UNED, Madrid, Spain
- A study on tooth profile modification of cycloid planetary gear drive with tooth number difference of two . . . . .** 997  
S.-J. Tsai, VDI, L. C. Chang, C.-H. Huang, National Central University, Jhong-Li, Taiwan
- Research on Dynamic Drum Shape Modification of Helical Gear Pair . . . . .** 1011  
L. Hui, X. Chang, Y. Shou, L. Cheng, Beijing Institute of Technology, Beijing, China;  
Z. Chen, GAC R&D CENTER, Guangzhou, China;  
L. Yu, Beijing Institute of Technology, Beijing, China

## ► Diagnosis, damage detection

---

- Detection of surface damages by non-destructive micromagnetic methods . . . . .** 1027  
B. Karpuschewski, Institute for Materials Engineering, Bremen
- Ring gear tooth cracks detected using instantaneous angular speed: wind turbine application . . . . .** 1039  
Y. Hawwari, Laboratoire Vibrations Acoustique, INSA Lyon, Villeurbanne Cedex, France;  
J. Touzet, H. Andre, Univ Lyon, UJM Saint Etienne, LASPI, Roanne, France;  
H. I. Cakar, Department of Energy, École catholique des arts et métiers (ECAM), Lyon, France;  
I. Khelf, L. Alloin, Engie Green, Lyon, France
- Sensorless evaluation of the ideal timing for oil-change . . . . .** 1053  
J. Lotz, B. Bouché, R. Thiele, Getriebekonstruktion NORD GmbH & Co. KG, Bargteheide
- Transferring knowledge about gear systems to machines in order to improve diagnosis efficiency . . . . .** 1065  
A. Carbonelli, Vibratec, Ecully, France



## ► Multi body systems, control

---

**Use of multiple-body simulation during the development process of gear units . . . . . 1077**

M. Lutz, J. Hermes, SEW-Eurodrive GmbH, Bruchsal

**Application of pre-calculated gear mesh stiffness on elastic gear bodies in multi-body simulation . . . . . 1087**

F. Andary, G. Jacobs, J. Berroth, Institute for Machine Elements and Systems Engineering (MSE), RWTH Aachen University, Aachen

**Analysis of manufacturing variability on the transmission error of an internal gear pair using a multibody framework. . . . . 1099**

C. Natali, Siemens PLM Software N.V., Belgium, University of Ferrara, Department of Engineering, Italy, Université Aix-Marseille, Département de Mécanique, France;  
A. Rezayat, D. Park, P. Jiranek, Siemens PLM Software N.V., Belgium;  
T. Tamarozzi, Siemens PLM Software N.V., Belgium, KU Leuven, Department of Mechanical Engineering, Belgium

**Robust force control of series elastic actuator using disturbance observer . . . . . 1111**

X. Du, B. Chen, Chongqing University, China;  
X. Shan, Hangzhou Seenpin Robot Technology Co. Ltd, China

## ► Special applications

---

**Improving the Estimation accuracy of fishing reel sensation caused by gear vibration using tactile response delay time . . . . . 1123**

T. Inoue, Shimano Inc., Osaka, Japan  
S. Kurokawa, Kyushu University, Fukuoka, Japan

**Creation of gear self-controlled variator . . . . . 1135**

K. S. Ivanov, Almaty University of Power Engineering and Telecommunication, Almaty;  
Senior lecturer E. K. Yaroslavtseva, Sankt-Petersburg University of Production Engineering and Design, St.-Petersburg, Russia

**High speed driven tool for machine tools using magnetic transmission technology. . . . . 1145**

S. Vonderschmidt, A. Ott, A. Vonderschmidt, Georgii Kobold GmbH & Co KG,  
Horb am Neckar

**Study on the contact characteristics of threaded surfaces in a planetary roller screw mechanism . . . . . 1155**

S. J. Ma, G. Y. Wu, G. Liu, Northwestern Polytechnical University, Xi'an, China

## ► Poster Exhibition

---

- Effect of installation errors on beveloid gears' precision ground by cone-shape worm wheel** . . . . . 1165  
B. Cao, G. Li, The State Key Laboratory of Mechanical Transmissions, Chongqing University, Chongqing, China
- Evaluation method of measuring software based on virtual gear measuring center** . . . . . 1173  
C. Lu, J. Wang, P. Yin, Xi'an Technological University, School of Mechatronic Engineering, Xi'an, Shaanxi, PR China
- Index hobbing for asymmetrical gears** . . . . . 1181  
P. Falbriard, Louis Belet SA, Vendlincourt, Switzerland
- Micro-hobbing** . . . . . 1187  
P. Falbriard, Louis Belet SA, Vendlincourt, Switzerland
- Visualization of phase differences between tooth helix deviations using graph theory** . . . . . 1191  
D. Iba, I. Moriwaki, Kyoto Institute of Technology, Kyoto, Japan;  
H. Noda, H. Inoue, Graduate School of Kyoto Institute of Technology, Kyoto, Japan;  
M. Kim, OSAKA SEIMITSU KIKAI, Osaka, Japan
- Proposal of linear mapping model among machining processes for gear tooth surface using graphic analysis** . . . . . 1199  
J. Hongu, H. Noborio, T. Koide, A. Tamura, Tottori University, Tottori, Japan
- Multisensory measurement of the base circle radius as a fundamental shape parameter of large gears** . . . . . 1207  
M. Pillarz, A. von Freyberg, A. Fischer, University of Bremen, Bremen Institute for Metrology, Automation and Quality Science (BIMAQ), Bremen
- Investigation on dynamic behavior of differential gearing with herringbone teeth** . . . . . 1215  
K. Liu, H. Liu, W. Shi, The State Key Laboratory of Mechanical Transmission, Chongqing University, China
- The Analysis on Grease Lubrication at Two Tapered Bodies Contact Considering Surface Roughness** . . . . . 1223  
Z. H. Wu, Y. Q. Xu, K. A. Liu, School of Mechatronic Engineering, Northwestern Polytechnical University, Xi'an, China

<b>2-stage gearbox optimization to minimize weight and maximize gear mesh efficiency considering the gear ratio for high speed gear . . . . .</b>	<b>1237</b>
S.-G. Moon, S.-C. Kim, J.-H. Sohn, G.-H. Lee, Korea Institute of Machinery & Materials, Daejeon, Republic of Korea	
<b>Study of lateral and torsional vibration distribution of two-stage planetary gears based on vibration energy theory . . . . .</b>	<b>1245</b>
Z. Zhan, H. Liu, C. Xiang, Q. Yan, H. Li, W. Wei, L. Xu, School of Mechanical Engineering, Beijing Institute of Technology, Beijing, China	
<b>Efficiency modelling and analysis for a novel double-arc bevel gear nutation transmission system for pure electric vehicles . . . . .</b>	<b>1253</b>
N. Wan, L. Yao, School of Mechanical Engineering and Automation, Fuzhou University, Fuzhou, China	
<b>Life extension for gearboxes through predictive maintenance . . . . .</b>	<b>1259</b>
S. Bill, REWITEC GmbH, Lahnau	
<b>Test stand for internally cooled metal gears . . . . .</b>	<b>1263</b>
H.-J. Dennig, S. Winterberg, Zurich University of Applied Sciences, Winterthur Switzerland	

# 3<sup>rd</sup> International Conference on High Performance Plastic Gears 2019

## ► Strength evaluation

---

<b>Comparison of strength ratings of plastic gears by VDI 2736 and JIS B 1759 – In vision of building a new international standard . . . . .</b>	<b>1267</b>
I. Bae, U. Kissling, KISSsoft AG, Bubikon, Switzerland	
<b>Thermoplastic high performance composite gears. . . . .</b>	<b>1279</b>
H.-J. Dennig, S. Monn, Zurich University of Applied Sciences, Winterthur, Switzerland; A. Vodermayr, icotec AG, Altstätten, Switzerland	
<b>Determination of fatigue strength of plastic gears under consideration of environmental influences . . . . .</b>	<b>1291</b>
K. Humm, M.-S. Wirth, A. Linnemann, T. Schalk, ZF Friedrichshafen AG	
<b>Extension of the application limits for crossed helical gearboxes by new geometries for smaller sliding paths or smaller contact pressures . . . . .</b>	<b>1299</b>
C. Boehme, D. Vill, P. Tenberge, Ruhr-University Bochum	
<b>Comparison between VDI 2736 wear calculation and experimentally obtained results. . . . .</b>	<b>1311</b>
S. Matkovič, Faculty of Mechanical Engineering, University of Ljubljana, Ljubljana, Slovenia; A. Pogačnik, Bauhar s.p., Bled, Slovenia; M. Kalin, Faculty of Mechanical Engineering, University of Ljubljana, Ljubljana, Slovenia	
<b>Predicting wear for high performance plastic gears . . . . .</b>	<b>1323</b>
B. van Wissen, M. KanTERS, F. Mitsuzuka, K. Iwanaga, Ir. A. Hasanovic, DSM Engineering Plastics Research and Technology B.V., Geleen, Netherlands	
<b>Material data for advanced plastic gear simulation . . . . .</b>	<b>1335</b>
J. Cathelin, Application Technology, SABIC, Geleen, The Netherlands	
<b>Wear resistant plastics – Bespoke plastic compounds for plastic gears . . . . .</b>	<b>1345</b>
K. Smrczkova, ALBIS Plastic GmbH, Hamburg	
<b>Advances in polyacetal materials for gears. . . . .</b>	<b>1357</b>
R. Ratnagiri, M. Kato, H. Kuchelka, Transportation and Industrial, DuPont, Wilmington DE, USA	

**Investigation of radiation crosslinking as performance enhancement for thermoplastic spur gears . . . . . 1367**  
 B. Gierl, D. Drummer, Institute of Polymer Technology (LKT), University Erlangen-Nürnberg, Erlangen

► **Tooth flank load capacity**

---

**Flank load carrying capacity of oil-lubricated high performance plastic gears – Analysis of the pitting development in back-to-back tests . . . . . 1379**  
 C. M. Illenberger, T. Tobie, K. Stahl, Gear Research Centre (FZG), Technical University of Munich (TUM), Garching/Munich

**Detailed analyses of film thickness and friction in thermoplastic EHL contacts . . . . . 1391**  
 E. Maier, T. Lohner, K. Stahl, Gear Research Centre (FZG), Technical University of Munich, Garching near Munich;  
 P. Sperka, M. Hartl, Brno University of Technology, Brno, Czech Republic

**Design of gear surface models for 3D-printing of plastic gears . . . . . 1401**  
 S. Detzel, Y. S. Krieger, M. F. Traeger, T. C. Lueth, Institute of Micro Technology and Medical Device Technology (MIMED), Technical University of Munich (TUM), Garching/Munich

**Thermal simulation of anisotropic PEEK-based tribocomposites . . . . . 1411**  
 N. C. Ecke, A. K. Schlarb, Technische Universität Kaiserslautern (TUK);  
 J. Höller, Fraunhofer Institute for Industrial Mathematics ITWM, Kaiserslautern;  
 Jan Niedermeyer, Statistics Group, Technische Universität Kaiserslautern (TUK);  
 P. Klein, Fraunhofer Institute for Industrial Mathematics ITWM, Kaiserslautern

## ► NVH/condition monitoring

---

**Powertrain NVH improvement with high-performance polymer gears . . . . . 1421**

R. Weidig, Victrex Europa GmbH, Hofheim;  
H. J. Weimar, IAVF Antriebstechnik GmbH, Karlsruhe

**Improvement of the noise and vibration behavior of an electromechanical brake booster –  
An integral approach . . . . . 1431**

J. Fechler, S. Oberle, M. Knöpfle, V. Merz, IMS Gear SE & Co. KGaA, Donaueschingen

**Vibration-based plastic gear crack detection system using a pre-learned convolutional  
neural network . . . . . 1443**

B. H. Kien, D. Iba, Y. Ishii, Y. Tsutsui, N. Miura, T. Iizuka, A. Masuda,  
A. Sone, I. Moriwaki, Kyoto Institute of Technology, Kyoto, Japan

## ► Application

---

**Simulation tool-chain for plastic gear design . . . . . 1453**

M. Uhlig, Robert Bosch GmbH, Abstatt;  
C. Pastor, Robert Bosch GmbH, Renningen

**Layout of profile modifications for symmetric and asymmetric plastic gears. . . . . 1461**

A. Pogačnik, Bauhar s.p., Bled, Slovenia;  
U. Kissling, KISSsoft AG, Bubikon, Switzerland

**A multi-criteria polymer gears design optimisation procedure . . . . . 1473**

J. Tavčar, PhD, J. Kos, D. Zorko, J. Duhovnik, PhD, University of Ljubljana, Slovenia

**Complementary strengths of orbitless & planetary drives. . . . . 1485**

L. Stocco, Orbitless Drives Inc., Vancouver, BC, Canada

# 3<sup>rd</sup> International Conference on Gear Production 2019

## ► Industry 4.0

---

- Virtual gauge for splined shaft-hub joints – Quality inspection and assembly of involute splines in the context of Industry 4.0.** . . . . . 1497  
K. Lübke, Software development special geometries, A. Groh, algorithms and special geometries, Hexagon Metrology GmbH, Wetzlar
- Methodical analysis and selection of auto identification systems in the gear box manufacturing** . . . . . 1509  
T. Stürmlinger, A. Comak, A. Albers, IPEK– Institute of Product Engineering, Karlsruhe Institute of Technology (KIT), Karlsruhe;  
S. Gerdhenrichs, R. H. Schmitt, Laboratory for Machine Tools and Production Engineering (WZL) – RWTH Aachen, Aachen
- Digital twin of gear measuring center (dtgmc)** . . . . . 1521  
P. L. Yin, Prof. J. H. Wang, Prof. C. X. Lu, Xi'an Technological University, Xi'an, Shaanxi, China
- Combining gear design with manufacturing process decisions** . . . . . 1533  
U. Kissling, KISSsoft AG, Bubikon, Switzerland;  
U. Stolz, Gleason Corporation, Ludwigsburg;  
A. Türich, Gleason Corporation, München

## ► Measurement technology

---

- Optical gear measurement: holographic system for 100 % inspection** . . . . . 1545  
A. Schiller, T. Beckmann, M. Fratz, T. Seyler, A. Bertz, D. Carl, Fraunhofer Institute for Physical Measurement Techniques IPM, Freiburg
- Measurement of gear racks with variable transmission ratio** . . . . . 1551  
H. Röhr, Hexagon Metrology GmbH, Wetzlar
- Temperature influence on involute gear measurements** . . . . . 1557  
A.-K. Wiemann, M. Stein, K. Kniel, Physikalisch-Technische Bundesanstalt, Braunschweig
- Scattered light measurement on worm gears with high efficiency requirements** . . . . . 1567  
B. Brodmann, OptoSurf GmbH, Ettlingen;  
H. Bodschinna, (i.R.) Leibniz Universität Hannover

## ► Gear soft machining

---

**Gear skiving of external gears with internally geared tools . . . . . 1579**

J. Klose, F. Zanger, V. Schulze, wbk Institute of Production Science, Karlsruhe Institute of Technology, Karlsruhe

**Potentials and limits of gear hobbing with cooling lubricants. . . . . 1591**

B. Karpuschewski, D. Sackmann, Leibniz Institute for Materials Engineering IWT, Bremen;  
M. Köchig, M. Beutner, F. Welzel, Institute of Manufacturing Technology and Quality Management IFQ, Magdeburg

**Large ring gear milling technology on universal machines – Philosophy of complete machining concept on a universal machine. . . . . 1603**

P. Schneyer, Werkzeugmaschinenfabrik Waldrich Coburg GmbH, Germany

## ► Gear skiving

---

**Micro skiving – (r)evolution of a known production process . . . . . 1619**

H. Baour, P. Falbriard, Louis Bélet SA, Vendlincourt, Switzerland

**Machining process solutions to support the reduction of distortion in ring gears after heat treatment . . . . . 1635**

A. Spatzig, Mitsubishi Heavy Industries Europe, Munich  
N. Fujimura, T. Monden, T. Kikuchi, K. Yoshikawa, Mitsubishi Heavy Industries Machine Tool, Ritto, Japan;  
A. Georgoussis, WZL of RWTH Aachen University

**Analysis of process forces and surface topography when manufacturing case-hardened gears by double flanked hard skiving. . . . . 1647**

M. Zapf, J. Klose, F. Zanger, V. Schulze, wbk Institute of Production Science, Karlsruhe Institute of Technology, Karlsruhe

**New possibilities for dry hard finishing of internal gears . . . . . 1659**

G.-T. Weber, Profilator GmbH & Co. KG, Wuppertal



## ► **Bevel gear production**

---

### **Prospects of manufacturing spiroid gears with small gear ratios . . . . . 1665**

V. I. Goldfarb, E. S. Trubachev, K. V. Bogdanov, T. A. Pushkareva, Institute of Mechanics of Kalashnikov ISTU, Izhevsk, Russia

### **Consideration of solid particles in a gear lapping simulation . . . . . 1675**

F. Rudolph, S. Schumann, B. Schlecht; Institute of Machine Elements and Machine Design (IMM), Technical University of Dresden

### **Influence of elastic effects on the grinding force in plunging bevel gear grinding . . . . . 1687**

M. Solf, C. Löpenhaus, T. Bergs, Laboratory for Machine Tools (WZL) of RWTH Aachen University

## ► **Gear honing & grinding**

---

### **Approach for modeling elasticity in the gear honing process . . . . . 1697**

M. Schrank, C. Kieseewetter-Marko, C. Löpenhaus, A. Epple, T. Bergs, C. Brecher, Laboratory for Machine Tools (WZL) of RWTH Aachen University

### **Simulation of tooth flank profile in the gear honing process. . . . . 1707**

K. Matsuo, Hardware System Development Department, JATCO Ltd, Kanagawa, Japan;  
Y. Suzuki, Kenichi Fujiki, Engineering Management Department, JATCO Ltd, Shizuoka, Japan;  
I. Moriwaki, Associate Prof. Daisuke Iba, Kyoto Institute of Technology, Kyoto, Japan

### **A method of tooth longitudinal modification for internal gearing power honing . . . . . 1725**

J. Han, Y. Zhu, X. Tian, L. Xia, School of Mechanical Engineering, Hefei University of Technology, Hefei, Anhui, China

### **Discretization of the contact conditions considering the grain engagement for generating gear grinding . . . . . 1739**

P. H. O. Teixeira, C. Löpenhaus, C. Brecher, T. Bergs, Laboratory for Machine Tools (WZL) of RWTH Aachen University

## ► **Materials processing & heat treatment**

---

- Lean heat treatment for distortion control** . . . . . 1749  
V. Heuer, ALD Vacuum Technologies GmbH, Hanau, Germany;  
D. Bolton, ALD Thermal Treatment Inc., Purt Huron, USA
- Cold forging of gear components by a modified Samanta process** . . . . . 1765  
A. Weiß, T. Deliktas, M. Liewald, N. Missal, Institute for Metal Forming Technology,  
University of Stuttgart
- Lightweight forging initiative III: transmission lightweighting potential based on design  
and material concepts in a split-axle hybrid vehicle and a heavy-duty truck** . . . . . 1777  
H.-W. Raedt, Hirschvogel Automotive Group, Denklingen;  
T. Wurm, Georgsmarienhuetten GmbH, Georgsmarienhuetten;  
A. Busse, fka Forschungsgesellschaft Kraftfahrwesen mbH, Aachen
- Inline-deep rolling – a new approach to increase tooth root load capacity** . . . . . 1787  
B. Karpuschewski, Leibniz Institute for Materials Engineering IWT, University of Bremen;  
T. Lierse, S. Schulze, Machine Tools, Manufacturing, Assembly & Quality (WFM),  
University of Applied Sciences and Arts Hanover

## ► **Manufacturing related product properties**

---

- Evaluation of gear flank surface structure produced by skiving** . . . . . 1799  
M. Trübswetter, M. Otto, K. Stahl, Gear Research Centre (FZG), Technical University of Munich,  
Garching
- Gear standards for reliable measurement of noise-causing gears –  
Quick verification of the measurement precision** . . . . . 1813  
T. Kahnenbley, G. Gravel, HAW Hamburg, Hamburg
- New improvement opportunities through applying topology optimization combined with  
3D printing to the construction of gearbox housings** . . . . . 1823  
P. Barreiro, J. Hoffmeister, J. Hermes, SEW-EURODRIVE GmbH & Co. KG, Bruchsal;  
A. Bronner, Hochschule Pforzheim
- Online estimate and compensation of the gear machining error based on electronic  
gearbox cross-coupling controller** . . . . . 1835  
X. Tian, Y. Wu, J. Han, L. Xia, School of Mechanical Engineering, Hefei University of Technology,  
Hefei, China