



19th International Congress

ELIV 2019

October 16-17, 2019, Bonn

<https://doi.org/10.51202/9783181023570-1>

Generiert durch IP '18.227.105.135', am 03.05.2024, 07:41:05.

Das Erstellen und Weitergeben von Kopien dieses PDFs ist nicht zulässig.

VDI-BERICHTE

Herausgeber:

VDI Wissensforum GmbH

Bibliographische Information der Deutschen Nationalbibliothek

Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliographie; detaillierte bibliographische Daten sind im Internet unter www.dnb.de abrufbar.

Bibliographic information published by the Deutsche Nationalbibliothek (German National Library)

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliographie (German National Bibliography); detailed bibliographic data is available via Internet at www.dnb.de.

© VDI Verlag GmbH · Düsseldorf 2019

Alle Rechte vorbehalten, auch das des Nachdruckes, der Wiedergabe (Photokopie, Mikrokopie), der Speicherung in Datenverarbeitungsanlagen und der Übersetzung, auszugsweise oder vollständig.

Der VDI-Bericht, der die Vorträge der Tagung enthält, erscheint als nichtredigierter Manuskriptdruck.

Die einzelnen Beiträge geben die auf persönlichen Erkenntnissen beruhenden Ansichten und Erfahrungen der jeweiligen Vortragenden bzw. Autoren wieder. Printed in Germany.

ISSN 0083-5560

ISBN 978-3-18-092357-4

<https://doi.org/10.51202/9783181023570-1>

Generiert durch IP '18.227.105.135', am 03.05.2024, 07:41:05.

Das Erstellen und Weitergeben von Kopien dieses PDFs ist nicht zulässig.

Content

Foreword1

► ADAS

Seeing With Sound – Next-level 3D ultrasonic sensors based on echolocation 5
N. Knapstein, Toposens, Munich

Ensuring the reliability, availability and safety of fully automated and autonomous transport systems through modern system architectures 11
J. Heinrich, A. Braasch, Institut für Qualitäts- und Zuverlässigkeitsmanagement GmbH, Wuppertal;
F. Plinke, Institut für Qualitäts- und Zuverlässigkeitsmanagement GmbH, Hamburg

ADAS/AD Systems: Efficient Testing & Validation – From data acquisition to data analytics . . . 21
M. Kremer, M. Kreuzt, M. Luxen, S. Christiaens, FEV Europe GmbH, Aachen

Problems and solution spaces for driver-initiated handover from automatic to manual driving mode 31
J. Klesing, Nexteer Automotive, Auburn Hills, USA;
S. Safour, Nexteer Automotive, Paris, France

► UX

User-centred development of a display concept for fully automated driving – A methodical approach 45
L. Gauer, I. Totzke, Audi Electronics Venture GmbH, Gaimersheim

UX in the Automotive Industry – How to make it comparable? 57
R. Ludwig, P3 automotive GmbH, Stuttgart

Development of the Cockpit-UI/UX of the Taycan in an Agile Way – Less is More 67
L. Krauß, E. Kögler, M. Bayer, S. Wiechmann, M. Worch, M. Mohamad,
Dr. Ing. h. c. F. Porsche AG, Weissach

3D-Displays with Lightfield Technology for a natural look and feel – User experience between attention-guiding and brand emotion 79
K. Hohmann, F. Rabe, C. Menzenbach, Continental Automotive GmbH, Babenhausen

► E-Vehicles

- Future e-mobility and the change in system requirements – The interplay between battery and thermal management for different mobility concepts 87**
L. Schindele, D. Schütz, F. Heber, P. Sailer, G. Le Hen, N. Müller, Robert Bosch GmbH, Stuttgart
- Modeling and identification of electrochemical energy storage for drive train development – Review and evaluation 101**
P. Gesner, F. Kirschbaum, F. Landenberger, J. Scheiffele, Daimler AG, Stuttgart;
L. Morawietz, B. Bäker, Technische Universität Dresden, Institut für Automobiltechnik (IAD), Dresden
- Condition monitoring for failure monitoring of power electronic assemblies 115**
S. Wagner, F. Wüst, S. Trampert, F. Sehr, A. Middendorf, O. Wittler, Fraunhofer Institut für Zuverlässigkeit und Mikrointegration (IZM), Berlin;
M. Schneider-Ramelow, Technische Universität Berlin
- Holistic Energy Management of 48V Mild Hybrid Vehicles 127**
P. Griefnow, J. Andert, M. Engels, RWTH Aachen University, Aachen;
J. Richenhagen, D. Jolovic, FEV Europe GmbH, Aachen
- Easy Integration of 48V Mild Hybridization by Dual Voltage Battery Management – Realizing CO₂ saving potentials by low implementation efforts. 139**
B. Fähnrich, A. Körner, HELLA GmbH & Co. KGaA, Lippstadt
- 48 Volt High Power: Electric Drive for Excellent CO₂ Emissions & Electric Driving Features . . . 153**
F. Graf, S. Baensch, T. Knorr, D. Ellmer, C. Marechal, Division Powertrain, Continental Automotive GmbH, Regensburg, Continental France SAS, Toulouse, France
- Efficiency Advantages of SiC in Electric Drive Train Applications 169**
T. Grasshoff, O. Tamm, SEMIKRON International GmbH, Nürnberg
- The Transition of EV Applications from Silicon to Silicon Carbide – Helping the power electronics design community overcome reliability challenges for EV applications that use silicon carbide. 177**
A. Kashyap, A. Gendron-Hansen, D. Sdrulla, B. Odekirk, Microchip Technology Inc., Bend, Oregon, USA
- Modular DC-DC converter for high-performance fuel-cell systems in trucks and buses 189**
T. Bürger, Kunal Goray, AVL SFR, Regensburg;
F. Berg, W. Resende, AVL List GmbH, Graz, Austria

► End-2-End

- Future electric/electronic architecture – Sustainable design of a digital in-vehicle backend infrastructure.** 201
M. Traub, H.-U. Michel, BMW Group, München
- Function- and Service-Oriented – a Game Changer for the E/E-Architecture of Tomorrow.** . 213
R. Roppel, M. Görber, Dr. Ing. h.c. F. Porsche AG, Weissach
- Vehicular RF Architectures – Managing integration of next generation automotive wireless systems.** 227
T. Zipper, Continental Automotive GmbH, Regensburg;
R. Gee, Continental Automotive Japan KK, Yokohama, Japan
- Going from an Electronic Unit Centric Development to Application Software Centric Requires a Different Architecture Mindset in Automotive.** 239
A. Magnuson, Volvo Group Truck Technology, Gothenburg, Sweden
- Using Cloud-Based Electronic Horizons to Enable Distributed Driving Functions** 255
P. Engel, A. Gerald, J. Wolter, Robert Bosch GmbH, Hildesheim
- Use of open source software in automotive safety projects – A decision tree for the usage of open source software components in safety projects** 269
R. Grave, Elektrobit Automotive GmbH, Erlangen

► Mission D

- Trucks as the drivers of connectivity-based innovation – What the passenger car sector can learn from the experience already gained in trucks today.** 275
G. Mabire, Continental Automotive GmbH, Frankfurt am Main
- Functions on demand – Enabler for digital business with car functions – Challenges of implementation of a high complex security mechanism** 283
J.-K. Landgraf, A. Fabri, AUDI AG, Ingolstadt
- System of systems structured data for mobility services.** 293
Y. Chazal, Renault, Paris, France;
A. M. Hein, Laboratoire Genie Industriel, CentraleSupélec, Université Paris-Saclay, Paris, France;
S. Boutin, Knowledge Inside, Versailles, France

► Data Management

Building a Standardized Data Pipeline from the Cloud to All In-Vehicle ECUs and Sensors – A New Opportunity for the Connected Car 307

S. Acharya, Excelfore, Fremont, California, USA;
M. Gardner, Molex, Lisle, Illinois, USA;
S. Herz, Hella GmbH, Lippstadt;
C. Hosner, Alpine Electronics, Auburn Hills, Michigan, USA;
F. Lesbroussart, ZF Friedrichshafen AG, Friedrichshafen

Data Structures and Interfaces for High-resolution Maps in Rapid Prototyping Applications of Highly Automated Driving 319

M. Giertzsch, Opel Automobile GmbH, Rüsselsheim

Multilateralism at its best: A blockchain-based platform enabling data sharing, monetization and service differentiation in the automotive industry 333

K. Bader, V. Knaup, S. Schneider, Continental Secure Data Germany GmbH, Aschheim

► Mission D

AI and the Evolution of Model-Based Design 347

J. Tung, MathWorks, Natick, Massachusetts, USA

On modern automotive software development – Forever stuck in the middle? 353

R. Schmidt-Clausen, U. Reder, R. Lange, e.solutions GmbH, Ingolstadt

The Future of Digital Car Access – Service Potentials and Ecosystem Challenges 359

K. L. Barbehön, O. Müller, D. Knobloch, BMW AG, München

► ADAS KI

Potential of Training Neural Networks Using Virtual Environments 365

R. Pfeffer, N. Ahn, IPG Automotive GmbH, Karlsruhe

Mission AI in Automotive – Collaboration Models and Functional Safety 375

U. Bodenhausen, Vector Consulting Services GmbH,
U. Bodenhausen AI Coaching, Stuttgart

► **ADAS**

Engineering and Hardening of Functional Fail-Operational Architectures for Highly Automated Driving – Identifying and shaping the operational design domain 383
R. Adler, D. Schneider, Fraunhofer IESE, Kaiserslautern;
T. Fukuda, Hitachi Automotive System Europe GmbH

Safety for Automated Driving with High Performance ECUs 395
M. Oertel, J. Wolf, Vector Informatik GmbH, Stuttgart

Impact of Cybersecurity and Safety Standards on ADAS Software Development Practices . . . 407
O. Ur-Rehman, G. Wallraf, B. Holderbaum, M. Jentges, FEV Europe GmbH, Aachen

► **Security**

Are you Security Compliant? – Current Automotive Security Legislations, Potential Impacts to Automotive OEMs & Suppliers, and First Action Proposals 419
M. Minzlaff, Marko Wolf, ESCRYPT GmbH, Munich

Integration of Cybersecurity into Development Processes – A Case Study 423
F. Stahl, AVL Software and Functions GmbH, Regensburg

The transition to HPC-based vehicle architectures – Cyber Security Implications 431
A. Shomer, Argus Cyber Security, Tel-Aviv, Israel

Enhancing In-Vehicle Communication by Authentication and Security – An incremental approach with an example for CAN message authentication 443
A. Hahn, Automotive Security Group, Microchip Technology Munich GmbH, Heilbronn

Hardware matters: how one chip can impact the security of a connected vehicle 455
M. Brunner, H. Adlkofer, Infineon Technologies AG, Neuburg

Embedded Intrusion Detection based on AI – A Data-Driven Approach 469
A. Weichslgartner, Audi Electronics Venture GmbH, Gaimersheim

Continuous Security Testing for the Automotive Domain 479
S. Greiner, H. Löh, P. Duplys, Robert Bosch GmbH, Renningen

► Architectures + Software

AUTOSAR Adaptive Platform – A standardized SW platform for intelligent vehicles with functional safety and data integrity 493

G. Reichart, M. Niklas, AUTOSAR partnership, Aschheim near Munich

Service-Oriented HPC Communication Standard for Vehicle Lifecycle Management 503

A. Schleicher, DSA Daten- und Systemtechnik GmbH, Aachen

How to Improve Automotive Testing in an Agile Development Process – A Review of Popular Testing Methods and Overview of Advanced Automated User Interface Testing 519

D. Robinson, Altia Europe GmbH, Nuremberg

► Mission D – Charging

800V Fast Charging is Reality – From the Vision in 2015 to Reality in 2019 529

O. Bitsche, Dr. Ing. h.c. F. Porsche AG, Weissach

► On-Board 2.0

Addressing the challenges in designing fail-operational architectures for autonomous driving platforms – Tailoring fail-operational systems based on production experience in the aerospace industry for the automotive use cases 537

S. Poledna, TTTech Auto AG, Vienna, Austria

Boost Safety & Styling for vehicle lighting – Individualization and new Functionalities 551

M. Kleinkes, W. Pohlmann, C. Wilks, HELLA GmbH & Co. KGaA, Lippstadt

CAN FD Light – A novel communication bus supporting digitalization and customization of automotive lighting for the broad market 567

F. Rennig, J. Barthel, M. Sanza, D. Tagliavia, STMicroelectronics Application GmbH, Aschheim-Dornach near Munich

Digital Light – Function & Design on Demand utilized for Car2X Communication. 581

M. Kruppa, W. Thomas, AUDI AG, Ingolstadt